

# AT 1300AG - PROTEK AG SERIES

NANO-CERAMIC COATING

SAFETY DATA SHEET

## 1. COMPANY AND PRODUCT INFORMATION

**Company Name:** ALPHATEK MATERIALS  
**Company Address:** 2372 Morse Ave., Ste. 167, Irvine, CA 92614  
**Tel:** 1-949-387-4271  
**Last Issue Date:** 5/27/2017

---

**Product Number:** AT 1300AG - PROTEK AG SERIES  
**Chemical Name:** Silane Mixture  
**Chemical Family:** Polymeric Resin-Solvent Blend  
**Chemical Formula:** Proprietary Blend

**Product Use:** Thermal Block, Protective Clear Coating for Electronics

## 2. HAZARDS IDENTIFICATION

### HMIS RATINGS:

Health Hazard	1
Flammability Hazard	3
Reactivity Hazard	0
PPH	H

### LABEL STANDARD:

HEALTH	1
FLAMMABILITY	3
REACTIVITY	0
PERSONAL PROTECTION	H

# AT 1300AG - PROTEK AG SERIES

NANO-CERAMIC COATING

## SAFETY DATA SHEET

### **EMERGENCY OVERVIEW:**

**Single Word:** Warning

### **ROUTES OF ENTRY:**

Eyes, Skin, Inhalation, Ingestion

### **POTENTIAL HEALTH EFFECTS**

#### **SHORT-TERM EXPOSURE (ACUTE):**

**Inhalation:** May cause respiratory tract irritation. At higher vapor concentrations, inhalation may affect central nervous systems.

**Eyes:** May cause irritation

**Skin:** May cause irritation through absorption

**Ingestion:** Harmful if swallowed

#### **REPEATED EXPOSURE (CHRONIC):**

No known application information at this time.

**Synergistic Materials:** No known application information at this time.

**Medical Conditions Aggravated by Exposure:** No known application information at this time.

#### **CARCINOGENICITY:**

**OSHA:** N/A

**ACGIH:** N/A

**NTP:** N/A

**IARC:** N/A

**OTHER:** There are no known carcinogenic ingredients present at over 0.1% in this material.

**SECTION 2 NOTES:** Above information is based off of standard industrial use of this product. Abnormal use and contact may result in increased damage and irritation to all affected areas.

# AT 1300AG - PROTEK AG SERIES

NANO-CERAMIC COATING

SAFETY DATA SHEET

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

### **Ingredients:**

Ingredients that are identified as toxic via the SARA guidelines are listed below per section 313 of the 40CFR372

CAS NUMBER	CHEMICAL NAME	PERCENTAGE VALUE (%)
9006-65-9	Polysilazane Mixture	18-30
54-88-5	Tert-Butyl Acetate	25-40
64741-66-8	Petroleum Solvent	5-12
Unlisted Ingredients are not listed in the SARA classification and are deemed proprietary		15-40

### **SECTION 3 NOTES:**

Ingredients not listed here are also not listed in the SARA classification and are deemed proprietary.

## 4. FIRST AID MEASURES

### **Eye Contact:**

Immediately flush with water for at least 15 minutes. If irritation persists, seek medical attention.

### **Skin Contact:**

Wash contact area thoroughly with soap and water. Wash clothing separately from other garments. If irritation persist, stop using garments and seek medical advice.

### **Inhalation:**

Remove to fresh air. If breathing is difficult, have trained person administer oxygen and seek medical attention.

### **Ingestion:**

Do not induce vomiting. Seek medical attention immediately.

### **NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:**

Administration of absorbents may be of value.

# AT 1300AG - PROTEK AG SERIES

NANO-CERAMIC COATING

SAFETY DATA SHEET

**SECTION 4 NOTES:** Always wear protective eyewear, gloves and clothing when handling any chemicals.

## 5. FIRE FIGHTING MEASURES

### **Flammable Limits in Air:**

Not determined at this time.

**Flash Point:** 100°F / 38°C

\*Method Used: Closed Cup

**Auto-Ignition Temperature:** 590°F / 310°C

### **Extinguishing Media:**

Carbon Dioxide, Dry Chemical Powder, Extinguishing Foam Media.

### **Fire Fighting Procedures:**

Evacuate all unnecessary personnel. Shut down all electrical devices in exposed area. Use water to keep adjacent containers cool to prevent pressure build-up. Wear self-contained breathing apparatus and full protective clothing.

### **Fire and Explosion Hazard:**

Container explosion may occur under fire conditions. Toxic fumes from container may be emitted under fire conditions.

### **Hazardous Decomposition Products:**

Chlorine containing gas, Fluorine containing gas, may be discharged upon decomposition.

### **SECTION 5 NOTES:**

Avoid static charge build-up. Static charge could ignite heavy vapors.

# AT 1300AG - PROTEK AG SERIES

NANO-CERAMIC COATING

SAFETY DATA SHEET

## 6. ACCIDENTAL RELEASE MEASURES

### **Accidental Release Measures:**

Determine to evacuate or isolate the area according to your local emergency plan. For large spills, supply emergency diking to contain materials. After removal of bulk material, the use of an absorbent is needed for final clean up.

Remove waste materials to a location per your local, State or Federal waste management regulations.

### **SECTION 6 NOTES:**

Always wear personal protective equipment when handling all types of chemicals and waste products. Refer to section 8 for Personal Protective Equipment.

## 7. HANDLING AND STORAGE

### **Storage and Handling:**

Store in cool dry location with adequate ventilation. Do not store in direct sunlight. Keep containers tightly sealed when not in use. Avoid leaving open containers during use.

Store in temperatures between 55°F (13°C) and 80°F (27°C).

### **Other Precautions:**

Always wear protection clothing when handling all chemicals. See section 8 for details.

### **SECTION 7 NOTES:**

Do not smoke when handling materials. Keep away from moisture and standing water.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### **Appropriate Hygiene Practices:**

The use of proper cleaning soaps and solutions for all body parts is recommended. Eye wash stations and showers in accordance with OSHA and local safety regulations is advised and in close proximity.

### **Engineering Controls:**

Local and general ventilation is recommended.

# AT 1300AG - PROTEK AG SERIES

NANO-CERAMIC COATING

SAFETY DATA SHEET

## **Respiratory:**

Use respiratory protection unless adequate ventilation is in place and has been assessed to provide proper air movement for recommended exposure. Follow OSHA requirements for respirator regulations 29CFR 1910.134.

## **Eyes/Face:**

Always wear protective eyewear or goggles. Recommend use of full-face respirator or large volume handling and spills.

## **Skin:**

Chemical protective gloves are always recommended. Wash exposed skin immediately if contact with chemical occurs

## **Other Protective Clothing or Equipment:**

The use of chemical resistant aprons, shoe covers and face shields is recommended for any handling of chemicals.

## **Exposure Guidelines:**

Refer to sections 4, 7, and 8 for contact and exposure recommendations

## **SECTION 8 NOTES:**

Note that all of these precautions are based off of room temperature handling. Elevated temperatures may increase the need for extra care in handling of materials.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance and Odor:</b>	Clear Liquid / Strong Solvent to Ammonia / Naphthalenic Odor
<b>VOC (grams / liters):</b>	0.0g/L <i>*VOC content less exempt compounds: 560g/L per 40CFR51.100(s).</i>
<b>Freezing Point:</b>	-32°F / -36°C
<b>Viscosity:</b>	12-17 Seconds (#2 Zahn Cup) @77°F / 25°C
<b>Flash Point:</b>	100°F / 38°C
<b>Boiling Point:</b>	>282.2°F / >139°C
<b>Specific Gravity:</b>	0.889 @ 68°F / 20°C
<b>Solids (%):</b>	<38
<b>Molecular Weight:</b>	<55ps

# AT 1300AG - PROTEK AG SERIES

NANO-CERAMIC COATING

SAFETY DATA SHEET

**Solubility in Water:** Insoluble

## 10. STABILITY AND REACTIVITY

**Stability:** Stable

**Incompatibility (Materials to Avoid):** Oxidizers, Isocyanates, Water, Protic Solvents, Mineral Acids and Alkalis

**Hazardous Polymerization:** Will Not Occur

**Hazardous Decomposition Products:** Chlorine containing gasses, Fluorine containing gasses, Carbon Monoxide, Carbon Dioxide and Silicon Dioxide.

**Conditions to Avoid (Polymerization):** N/A

**SECTION 10 NOTES:** The above criteria may not be all the materials that affect stability, but per testing, the above information is true to the best of our knowledge.

## 11. TOXOLOGICAL INFORMATION

### Carcinogenicity Information:

Not listed as carcinogen by NTP (National Toxicology Program); not regulated as a carcinogen by OSHA (Occupational Safety and Health Administration); not evaluated by IARC (International Agency for Research on Cancer)

### Reported Human Effects:

No human studies have been conducted with this material. The use of this material when used as directed should not have any adverse effects.

## 12. ECOLOGICAL INFORMATION

This material may be hazardous to aquatic organisms. Avoid release to surface waters and waste treatment systems.

## 13. DISPOSAL CONSIDERATIONS

# AT 1300AG - PROTEK AG SERIES

NANO-CERAMIC COATING

SAFETY DATA SHEET

## WASTE DISPOSAL METHOD:

Do not mix this product with aqueous or other protic waste streams. Incineration of combustible waste material in a permitted facility in accordance with the local, state, and federal regulations is the recommended disposal method.

## RCRA HAZARD CLASS:

I / Ignitable

## SECTION 13 NOTES:

Local and state regulations may exceed federal standards. Always consult your local waste authority for proper disposal requirements.

## 14. TRANSPORTATION INFORMATION

### US DOT:

**Proper Shipping Name:** Paint Related Materials

**Hazard Class:** 3

**UN Number:** 1263

**Packing Group:** III

**Label Statement:** Flammable Liquid



### WATER TRANSPORTATION:

**Proper Shipping Name:** Paint Related Materials

**Hazard Class:** 3

**UN Number:** 1263

**Packing Group:** III

**EmS No.:** 30 S-E, F-E

**Label Statement:** Flammable Liquid



### AIR TRANSPORTATION:

**Proper Shipping Name:** Paint Related Materials

ALPHATEK MATERIALS, LLC

2372 Morse Ave., Ste. 167, Irvine, CA 92614

contact@alphatekmaterials.com



# AT 1300AG - PROTEK AG SERIES

NANO-CERAMIC COATING

SAFETY DATA SHEET

**Hazard Class:** 3

**UN Number:** 1263

**Packing Group:** III

**Label Statement:** Flammable Liquid



## **CONSUMER COMMODITY:**

**ID Number:** 8000

**Hazard Class:** 9

**Label Statement:**



**Label ORM-D Domestic:**



## **SECTION 14 NOTES:**

Labels to match on both SDS and packaging as required

## 15. REGULATORY INFORMATION

### **U.S. Federal Regulations:**

#### **TSCA (Toxic Substance Control Act):**

All chemical substances in this material are on or exempted from the listing on the TSCA Inventory of Chemical Substances.

#### **CERCLA (Comprehensive Response Compensation and Liability Act):**

None

#### **SARA TITLE III (Superfund Amendments and Reauthorization Act):**

None

### **311/312 HAZARD CATEGORIES:**

# AT 1300AG - PROTEK AG SERIES

NANO-CERAMIC COATING

SAFETY DATA SHEET

**Acute:** No

**Chronic:** No

**Fire:** Yes

**Pressure:** No

**Reactive:** no

## 313 REPORTABLE INGREDIENTS:

None present or none present in regulated quantities.

## STATE REGULATIONS:

Exempt list per 40CFR51.100(s).

## INTERNATIONAL REGULATIONS:

Subject to specific country, province, state or district regulations.

## 16. OTHER INFORMATION

**Prepared By:** AlphaTek Materials, LLC.

### Disclaimer:

All statements and information in this safety data sheet (SDS) is believed to be accurate as of the date issued and represents the best information currently available to AlphaTek Materials, LLC. No warranties, expressed or implied, including, but not limited to the warranty of merchantability, fitness for a particular purpose or of any other nature, are made herein as to the information provided or the product to which the information refers. Users should make their own investigations to determine the suitability of the information provided.