AT 202 - FINISH RESTORER

TECHNICAL DATA SHEET

AT 202 Finish Restorer removes oxidation and other surface debris and spots without the use of harsh abrasives. It is an easy way to bring back the luster to dulled finishes without the use of power buffers. AT 202 is excellent for use on automobiles, boats, trains, aircraft, tractors, outdoor equipment, and metal building facades. It is environmentally safe and may be used in and around US waterways.

Proudly manufactured in the USA.

Technical Data	
Color	Off - White
Viscosity	32 sec. #2 Zahn
Percent of Solids	Concentrated
Odor (liquid)	Fresh Scent
V.O.C	None
Halogens	None
RoHS	Compliant
REACH	Compliant

Common Applications

- Automobiles
- Boats (including gel-coats)
- Trains
- Airplanes
- Tractors
- Outdoor equipment
- Metal building facades

Key Performance Properties

- Removes oxidation, heavy water spots, surface contaminants, and stains from almost any surface without the use of harsh abrasives.
- Quick and easy way to bring back the luster to dull and faded finishes.
- Eliminates need to use power buffers to achieve natural looking luster.
- Environmentally friendly product. Approved for use in and around US waterways (if used as directed).
- Easily applied by hand. May be applied in direct sunlight. Rinses off easily with soapy water.
- RoHS and REACH compliant

Supplemental Information

AT 202 leaves the treated surface without protection. Surface should be treated with a sealer or top coat such as AT 303 or AT 5000 for ongoing protection. Contact your AlphaTek representative for other sealer recommendations.

ALPHATEK MATERIALS, LLC

2372 Morse Ave., Ste. 167, Irvine, CA 92614

contact@alphatekmaterials.com

All statements, technical information and recommendations contained in this document are based upon tests or experience that AlphaTek believes are reliable. Environmental conditions, storage practices and many other variables may impact the performance of this product in a given application. AlphaTek is not responsible for the use or application of this product. It is the responsibility of the end user to determine the suitability of this product for the end application. No warranty is written or implied regarding application and use of this product.